



TEC-2000 LTD.

P. O. BOX 285, Hitchin,
HERTS., SG4 9WQ, U.K.

info@tec-2000.co.uk

PH: 01462-433 660

FAX: 01462-433 606

MOB: 07831-105 386

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

TEC-2000 Airco Freshener Service Spray

1. IDENTIFICATION OF PREPARATION AND COMPANY

CHEMICAL NAME: TEC-2000 Airco Freshner Service Spray

SUPPLIERS: TEC-2000 LTD., P.O. Box 285, Hitchin, Herts., SG4 9WQ, U.K.

EMERGENCY TELEPHONES: U.K. 0044 (Ø) 1462-433 660 - 0044 (Ø) 7831 105386 (24hrs)

2. HAZARDS IDENTIFICATION

Highly flammable.

CLASSIFICATION F;R11

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
ETHANOL	200-578-6	64-17-5	60-100%	F; R11

The full text for all R-phrases are shown in section 15.

COMPOSITION COMMENTS: Aerosol propelled by non flammable propellant.

4. FIRST AID MEASURES

INHALATION: Provide rest, warmth and fresh air.

INGESTION: Not relevant.

SKIN CONTACT: Rinse with water.

EYE CONTACT: Promptly wash eyes with plenty of water while lifting the eye lids.
Get medical attention if any discomfort continues.



Registered office:
Building 15, Gateway 1000,
Stevenage, Hertfordshire, SG1 2FP
Registered in England No. 460 8392

TEC-2000 Airco Freshner Service Spray

5. FIRE FIGHTING MEASURES

- EXTINGUISHING MEDIA:** Fire can be extinguished using: Foam, carbon dioxide or dry powder.
- SPECIAL FIRE FIGHTING PROCEDURES:** Use water to keep fire exposed containers cool and disperse vapours.
- UNUSUAL FIRE & EXPLOSION HAZARDS:** Aerosol cans may explode in a fire.

6. ACCIDENTAL RELEASE MEASURES

- SPILL CLEANUP METHODS:** Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb with inert, damp, non-combustible material, then flush area with water.

7. HANDLING AND STORAGE

- USAGE PRECAUTIONS:** Keep away from heat, sparks and open flame.
- STORAGE PRECAUTIONS:** Store at moderate temperatures in dry, well ventilated area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ingredient Name	Std	LT - ppm	LT - mg/m ³	ST - ppm	ST-mg / m ³
ETHANOL	WEL	1000 ppm	1920 mg/m ³		

PROTECTIVE EQUIPMENT:



- EYE PROTECTION:** Wear approved chemical safety goggles where eye exposure is reasonably probable.

9. PHYSICAL AND CHEMICAL PROPERTIES

- APPEARANCE:** Aerosol.
- ODOUR:** Pleasant, agreeable.
- SOLUBILITY:** Soluble in water.
- FLASH POINT (°C):** 12 P/M Pesky-Martens.

10. STABILITY AND REACTIVITY

- STABILITY:** Stable under normal temperature conditions.
- CONDITIONS TO AVOID:** Avoid heat, flames and other sources of ignition.

TEC-2000 Airco Freshner Service Spray

11. TOXICOLOGICAL INFORMATION

MEDICAL SYMPTOMS: EYES AND MUCOUS MEMBRANES. Irritation of eyes and mucous membranes. RESPIRATORY SYSTEM. Upper respiratory irritation. MOUTH AND THROAT. Sore throat

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Not regarded as dangerous for the environment.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION.

PROPER SHIPPING NAME: AEROSOLS

UN No. ROAD: 1950

ADR PACK GROUP: 5F

IMDG CLASS: 2

ADR CLASS No. 2

UN No. SEA: 1950

UN No. AIR: 1950

15. REGULATORY INFORMATION

LABEL FOR SUPPLY:

Highly Flammable



RISK PHRASES:

R-11 Highly flammable.

SAFETY PHRASES:

S-2 Keep out of the reach of children.

S-16 Keep away from sources of ignition - No Smoking.

S-35 This material and its container must be disposed of in a safe way.

S-51 Use only in well-ventilated areas.

S23 Do not breathe vapours / spray.

TEC-2000 Airco Freshner Service Spray

16. OTHER INFORMATION

OTHER INFORMATION:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

ISSUED BY:

Mr. M. L. F. KNOWLES

ISSUE DATE (dd-mm-yyyy):

14-10-2011

REVISION No./REPLACES SDS ISSUED:

3/ 31-Aug-2006

TOTAL PAGES:

4

END